

Adamantylated Calix[4]arenes bearing CuAAC-ready 2-Azidoethyl or Propargyl Functionalities

Alexander Gorbunov, Maria Malakhova, Stanislav Bezzubov, Ivan Lentin, Vladimir Kovalev and Ivan Vatsouro

Supplementary Materials




Figure S1. ^1H NMR spectrum of compound 2 (400 MHz, CDCl_3).




Figure S2. ¹³C NMR spectrum (APT) of compound 2 (100 MHz, CDCl₃).




Figure S3. ¹H NMR spectrum of compound 3 (400 MHz, CDCl₃).




Figure S4. ¹³C NMR spectrum (APT) of compound 3 (100 MHz, CDCl₃).




Figure S5. ^1H NMR spectrum of compound 4 (400 MHz, CDCl_3).




Figure S6. ¹³C NMR spectrum (APT) of compound 4 (100 MHz, CDCl₃).




Figure S7. ¹H NMR spectrum of compound 5 (400 MHz, CDCl₃).




Figure S8. ¹³C NMR spectrum (APT) of compound 5 (100 MHz, CDCl₃).




Figure S9. ¹H NMR spectrum of compound 6 (400 MHz, CDCl₃).




Figure S10. ^{13}C NMR spectrum (APT) of compound **6** (100 MHz, CDCl_3).