

Supplementary Materials: Variables Associated with Jaw Clicking in a South Australian Population: A Cross-Sectional Study

Taseef Hasan Farook *, Lameesa Ramees and James Dudley

Adelaide Dental School, The University of Adelaide, Adelaide SA 5000, Australia;
lameesa.ramees@adelaide.edu.au (L.R.); james.dudley@adelaide.edu.au (J.D.)

* Correspondence: taseef.farook@adelaide.edu.au

Table S1 the metadata of jaw kinematics synthesised from the 66 participants

Treatment received	Maximum mouth opening	TMJ vibration integral difference	TMJ vibration frequency difference at >300Hz	Normalised temporalis muscle activity quotient	Normalised masseter muscle activity quotient	Normalised digastric muscle activity quotient
1.00	51.60	5.30	0.60	0.20	0.18	0.18
1.00	60.40	3.40	-2.40	0.14	0.13	0.13
1.00	58.60	1.10	-0.40	0.16	0.14	0.13
1.00	48.60	-16.50	-2.30	0.10	0.08	0.07
1.00	46.40	0.30	0.10	0.12	0.09	0.09
1.00	53.10	-9.40	-1.30	0.15	0.12	0.12
1.00	43.50	11.30	-0.30	0.14	0.12	0.11
1.00	43.90	1.80	0.50	0.11	0.09	0.10
1.00	37.90	-1.70	0.00	0.09	0.07	0.08
1.00	60.50	164.40	65.70	0.08	0.06	0.06
1.00	42.00	-5.90	-0.40	0.14	0.13	0.12
1.00	48.50	-9.70	-4.10	0.12	0.11	0.11
1.00	41.40	5.70	0.60	0.08	0.06	0.06
1.00	43.30	32.90	-0.40	0.12	0.11	0.10
1.00	33.70	0.10	0.00	0.22	0.20	0.20
1.00	57.00	78.10	1.50	0.12	0.10	0.10
1.00	44.70	-8.30	-0.20	0.05	0.08	0.08
1.00	45.60	-79.80	-1.80	0.12	0.10	0.09
1.00	49.50	-40.40	-1.90	0.16	0.14	0.14
1.00	43.20	251.60	62.00	0.15	0.14	0.13
1.00	49.80	2.90	0.10	0.11	0.09	0.09
1.00	48.30	2.80	0.50	0.12	0.10	0.09
1.00	53.40	1.50	-0.20	0.19	0.17	0.17
1.00	64.40	-0.70	0.30	0.09	0.07	0.07
1.00	53.40	-248.00	-16.00	0.23	0.21	0.20
1.00	48.90	-5.20	-0.80	0.10	0.08	0.09
1.00	46.90	-15.80	-12.70	0.10	0.07	0.07
1.00	51.40	1.80	-0.20	0.12	0.11	0.10
1.00	56.40	1.30	-0.10	0.19	0.17	0.17
1.00	50.10	-4.90	-0.60	0.12	0.10	0.11
1.00	29.60	59.90	0.70	0.12	0.09	0.11
1.00	38.20	1.40	-0.60	0.09	0.07	0.08
1.00	48.70	3.20	0.30	0.15	0.13	0.13
1.00	43.60	-7.60	-0.40	0.23	0.21	0.20
2.00	40.40	-7.20	-0.20	0.21	0.19	0.20
2.00	51.20	-2.40	-0.90	0.12	0.10	0.10

2.00	46.60	-6.80	-0.30	0.13	0.11	0.12
2.00	49.10	2.10	0.00	0.14	0.12	0.11
2.00	60.00	-18.70	-0.20	0.23	0.20	0.20
2.00	53.30	-2.80	-0.20	0.13	0.11	0.10
2.00	44.80	0.30	-0.10	0.19	0.18	0.19
2.00	56.00	-46.10	-3.80	0.24	0.22	0.22
2.00	62.20	-5.80	-0.40	0.16	0.14	0.14
2.00	48.10	-0.90	0.10	0.10	0.08	0.07
2.00	53.20	-2.60	-0.50	0.16	0.14	0.14
2.00	59.50	20.50	0.30	0.17	0.15	0.14
2.00	44.50	-0.50	-0.70	0.23	0.20	0.19
2.00	49.10	0.40	0.00	0.17	0.15	0.15
2.00	43.10	-20.20	-0.40	0.22	0.20	0.20
2.00	51.80	-7.30	-0.60	0.19	0.17	0.16
2.00	48.20	0.70	1.80	0.14	0.12	0.11
2.00	58.10	13.80	0.40	0.11	0.09	0.10
2.00	47.40	0.30	0.00	0.13	0.11	0.10
2.00	40.60	0.00	0.10	0.10	0.08	0.07
2.00	56.20	-10.20	-2.10	0.13	0.10	0.09
2.00	50.00	-2.50	0.40	0.06	0.04	0.04
2.00	40.90	8.20	2.80	0.17	0.15	0.14
2.00	42.80	-0.30	0.00	0.11	0.09	0.08
2.00	47.60	-9.30	-8.30	0.14	0.08	0.11
2.00	55.80	-1.80	-0.10	0.15	0.13	0.12
2.00	42.70	-0.70	0.20	0.14	0.12	0.12
2.00	43.20	5.80	-0.50	0.12	0.11	0.12
2.00	52.40	-1.60	0.30	0.10	0.08	0.08
2.00	42.50	3.90	1.60	0.30	0.28	0.27
2.00	33.80	-2.60	-0.20	0.09	0.07	0.07
2.00	49.90	8.60	0.00	0.14	0.12	0.11

1 = occlusal therapy received, 2 = No occlusal therapy received